



Product no. L929
Product name **Ethanol Ultra-High Release (UHR) Pouch Lure**
Scientific name N/A

August 2015
Page 1 of 5

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
1.1	Product identifier Ethanol Ultra-High Release (UHR) Pouch Lure
1.2	Relevant identified uses of the substance or mixture and uses advised against Scentry insect monitoring products are pest management tools designed to provide information about an insect pest population.
1.3	Details of the supplier of the safety data sheet Scentry Biologicals, Inc. 610 Central Ave. Billings, MT 59102 scentry@scentry.com Tel: 1-(406)-248-5856 Fax: 1-(406)-245-2790
1.4	Emergency Telephone number 1-(800)-735-5323

SECTION 2: HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture HMIS Hazard Classifications Health =1 Flammability =3 Reactivity =0
	DPD Classifications Xi
2.2	GHS Classification and Labeling Signal Word Danger
	Hazard pictograms GHS02  GHS07 
	Hazard Statements H225 Highly flammable liquid and vapor.
	S-phrases S2 Keep out of reach of children. S13 Keep away from food, drink and animal feeding stuffs. S46 If swallowed, seek medical advice immediately and show this container or label.
	S20/S21, S24/S25,S26,S28 When using this product do not eat, drink or smoke, avoid contact with skin and eyes, after contact with skin, wash immediately with plenty of soap and water.
	S36/S37 Wear suitable protective clothing and gloves.
	Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam
	P403 + P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container to an approved waste disposal plant.
2.3	Other hazards None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
3.1	Substance (s)	Product Identifier	%
	Ethanol	(CAS No.) 64-17-5	100
			Synonym (s) Alcohol Reagent Alcohol Ethyl Alcohol Ethyl Alcohol, Anhydrous
	LDPE Pouch	N/A	N/A

Product no. L929
Product name Ethanol Ultra-High Release (UHR) Pouch Lure
Scientific name N/A

August 2015
Page 2 of 5

SECTION 4: FIRST AID MEASURES		
4.1	Description of first aid measures	
	Inhalation	A slight irritant to the mucous membranes. Toxic effects exerted upon nervous system, particularly the optic nerve. Once absorbed into the body, it is very slowly eliminated. Symptoms of overexposure ay include headache, drowsiness, nausea, vomiting, blurred vision, blindness, coma and death. A person may get better but then worse again up to 30 hours later. Remove to fresh air. Provide oxygen if breathing is labored.
	Skin contact	Alcohol is a defatting agent ad may cause skin to become dry and cracked. Skin absorption can occur; symptoms may parallel inhalation exposure.
	Eye contact	Irritant. Continued exposure may cause eye lesions. Irrigate with water for at least 15 minutes.
	Ingestion	Symptoms parallel inhalation. Can intoxicate and cause blindness, usual fatal dose: 100-125mL.
4.2	Most important symptoms and effects, both acute and delayed	Primarily irritation
4.3	Indication of any immediate medical attention and special treatment needed	Immediate medical attention is required in case of ingestion or contact with eyes.





SECTION 5: FIRE-FIGHTING MEASURES		
5.1	Extinguishing media	Use alcohol foam, dry chemical or carbon monoxide (Water may be ineffective).
5.2	Special hazards arising from the substance or mixture	The essential breakdown products are carbon monoxide, carbon dioxide and formaldehyde when heated to decomposition.
5.3	Advice for firefighters	Use standard firefighting techniques. Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire. Vapors can flow along surfaces to distant ignition source and flash back.

SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1	Personal precautions, protective equipment and emergency procedures	Avoid Contact with eyes, skin and clothes. See section 8 for further detail on personal protective equipment.
6.2	Environmental precautions	Keep out of water sources and sewers
6.3	Methods and materials for containment and cleaning up	Ventilate area of leak or spill. Remove all sources of ignition. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container and absorb with inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials such as saw dust. If leak or spill has not ignited use water spray to disperse vapors.
6.4	Reference to other sections	See section 7 for fire prevention. See section 8 for personal protection. See section 13 for disposal.

SECTION 7: HANDLING AND STORAGE		
7.1	Precautions for safe handling	General precautions to be taken with handling. Avoid contact with eyes, skin and clothes.
7.2	Conditions for safe storage, including any incompatibilities	Store in cool, dry area out of direct sunlight. Keep storage container closed until ready to use. Keep away from food, feedstuffs, and domestic water supplies. Keep containers away from any area fire hazard may be acute. Outside or detached storage is preferred. Keep away from strong oxidizing agents such as nitrates, perchlorates or sulfuric acid. Will attack some forms of plastic, rubber and coatings. May react with metallic aluminum and generate hydrogen gas.
7.3	Specific end use(s)	Scentry insect monitoring products are pest management tools designed to provide information about an insect pest population.

Product no. L929
Product name **Ethanol Ultra-High Release (UHR) Pouch Lure**
Scientific name N/A

August 2015
Page 3 of 5

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION		
8.1	Personal exposure limits	To our knowledge, no personal exposure limits have been established for this product. However, exposure limits may be defined by local regulations and must be observed.
8.2	Exposure controls	Keep away from foodstuffs, beverages and food. Avoid contact with eyes and skin. Wash thoroughly after handling. Do not consume.
	Respiratory protection	None required, if the room is well-ventilated use with local ventilation preventing dispersion of it into the general work area. If the exposure limit is exceeded and engineering controls are not feasible, wear a supplied air, full-facepiece respirator, airlined hood, or full-facepiece self-contained breathing apparatus. Breathing air quality must meet the requirements of OSHA respiratory protection standard (29CFR1910.134). This substance has poor warning properties.
	Protective gloves	None required, but neoprene, nitrile or rubber gloves is recommended for continuous handling. The exact break through time of the various types of protective gloves has to be found out by the manufacturer and has to be observed.
	Eye protection.....	Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.
	Other skin protection	Impervious boots, apron or coveralls as needed in areas of unusual exposure.
	NOTE:	Personal protection information shown above is based upon general information as to normal uses and conditions. Where special or unusual uses or conditions exist, it is suggested that the expert assistance of an industrial hygienist or other qualified professional be sought.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
9.1	Information on physical and chemical properties	Ethanol Ultra-High Release (UHR) Pouch Lure
	Appearance	Clear and colorless liquid solvent in a LDPE pouch.
	Odor	Mild
	Odor threshold	100ppm
	pH	Not determined
	Melting point/Freezing point	-114°C
	Initial boiling point and boiling range	78°C
	Flash point	14°C
	Evaporation rate	Not determined
	Flammability (solid/gas)	Flammable liquid and vapor
	Upper/ lower flammability or explosive limits	Upper explosion limit: 24.5% (V) Lower explosion limit: 3.3% (V)
	Vapor pressure	5.7kPa (@20°C)
	Vapor density	1.59
	Relative density	Not determined
	Solubilities	Solubility at 20°C in: water miscible
	Viscosity	Not determined
	Explosive properties	Explosions may occur above flash point, vapor air mixtures are explosive within flammable limits noted above. Moderate explosion hazard and dangerous fire hazard when exposed to heat, sparks or flames.
	Oxidizing properties	Not oxidizing
	Decomposition temperature	Not determined
	Auto-ignition temperature.....	464°C (867°F)
	Partition coefficient: n-octanol/water	Not determined
9.2	Other Information	Sensitive to static discharge.

SECTION 10: STABILITY AND REACTIVITY		
10.1	Reactivity	Ethanol rapidly absorbs moisture from the air, can react vigorously with oxidizers.
10.2	Chemical stability	Stable at ambient temperatures while in storage and while being handled.
10.3	Possibility of hazardous reactions	Thermal decomposition products may include CO, CO ₂ , and formaldehyde.
10.4	Conditions to avoid	Heat, flames, ignition sources and incompatibles.

Product no. L929
Product name **Ethanol Ultra-High Release (UHR) Pouch Lure**
Scientific name N/A

August 2015
Page 4 of 5

10.5	Incompatible materials	Keep away from strong oxidizing agents such as nitrates, perchlorates or sulfuric acid. Will attack some forms of plastic, rubber and coatings. May react with metallic aluminum and generate hydrogen gas.
10.6	Hazardous decomposition products	See Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute toxicity	
	Route(s) of Entry	
	- skin (most likely)	LD ₅₀ , dermal Rabbit: 15,800 mg/kg
	-ingestion	LD ₅₀ , oral Rat: 15,800 mg/kg
	-inhalation of vapor -4h	LC ₅₀ , inhalation Rat: 30,000 mg/L
	Delayed, immediate, or chronic effects from short term exposure	Not determined
	Delayed, immediate, or chronic effects from long term exposure	Not determined
	Symptoms	Causes mild to moderate eye irritation
	Indication of whether the chemical is listed in the NTP, or has found to be carcinogenic by the IARC or OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	
	The ecotoxicity of the active ingredient in water is measured as:	
	- Fish (Rainbow Trout) 96-h LC ₅₀	14,000 mg/L
	- Algae (Fresh Water) 72-h EC ₅₀	275 mg/L
	- Daphnia (Water flea) 48-h LC ₅₀	5,012 mg/L
	- Bees 48-h LD ₅₀ , contact	Not determined
	48-h LD ₅₀ , oral	Not determined
12.2	Persistence in degradability	Easily decompose to carbon monoxide, carbon dioxide and water.
12.3	Bioaccumulative potential	Not determined
12.4	Mobility in soil	Not determined
12.5	Results of PBT and vPvB assessment	Not determined
12.6	Other adverse effects	None

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	
	Disposal of product	Do not contaminate water, foodstuffs, feed, seed or sewage water by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. To minimize exposure see section 8.
	Disposal of packaging	Do not reuse empty pouch. Discard pouch into trash.

SECTION 14: TRANSPORT INFORMATION

14.1	UN number	1170
14.2	UN proper shipping name	Ethanol
14.3	Transport hazard class(es)	3
14.4	Packing group	II
14.5	Environmental hazards	None
14.6	Special precautions for user	Do not discharge to the environment.
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	The product is not transported in bulk tankers.

Product no. L929
Product name **Ethanol Ultra-High Release (UHR) Pouch Lure**
Scientific name N/A

August 2015
Page 5 of 5

SECTION 15: REGULATORY INFORMATION		
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	The product is classified and labelled in accordance with GHS and EC directives or respective national laws.
	Chemical safety assessment	A chemical safety assessment has not been performed.

SECTION 16: OTHER INFORMATION	
<p>Disclaimer: All information contained in this Safety Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion, the information is, as of the date of this Safety Data Sheet, reliable. However, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information gathered by you, and you must make independent determinations of the suitability in completeness of the information from all sources to assure both proper use of the material described herein and the safety and health of employees.</p> <p>Prepared by: Scentry Biologicals, Inc.</p>	